



STEEL CHENG



PROFESSIONAL POWER TOOLS

PROFESSIONAL POWER TOOLS



STEELCHENG

ANGLE GRINDER

POWER
1100W

High Power Motor


High efficiency, better grinding effect

Push-Button Self-Locking Switch

Better to resolutely change the grinding wheel when there will be rotation problems

Removable Dust Filter

Reduce dust entering the fuselage and damage the internal structure



Sturdy Aluminum Head Shell

Strong anti-fall ability, enhance the service life of the machine

Auxiliary Handle Can Be Installed

The two-hand operation is more powerful and the work is faster

Safety Wheel Cover

Prevent sparks from splashing and solve personalsafety hazards during operation


SC-AG-4-351

8PCS

Rated Voltage /frequency	: 220V~50Hz	No Load Speed	: 11000r/min
Input Power	: 1100W	Disc Diameter	: 100mm

**High Strength
enlarged motor**

- More Power
- Longer Operating Times
- Longer Service Life
- More Compact Design


25%
More Power*

50%
More Operating Time*

100%
More Service Life*

POWER
850W

25mm DIE GRINDER



SC-DG-25-317

10PCS

Rated Voltage /frequency	: 220V~50/60Hz
Input Power	: 850W
No Load Speed	:
Disc Diameter	: 25mm

POWER
1300W

100mm ANGLE GRINDER



SC-AG-4-350

8PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 1300W
No Load Speed	: 11000r/min
Disc Diameter	: 100mm

POWER
1000W

100mm ANGLE GRINDER



SC-AG-4-349

8PCS

Rated Voltage /frequency	: 220V~50/60Hz
Input Power	: 1000W
No Load Speed	:
Disc Diameter	: 100mm

POWER
1200W

100mm ANGLE GRINDER



SC-AG-4-352

10PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 1200W
No Load Speed	: 11000r/min
Disc Diameter	: 100mm

POWER
1250W

100mm ANGLE GRINDER



SC-AG-4-353

8PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 1250W
No Load Speed	: 11000r/min
Disc Diameter	: 100mm



POWER
1000W 100mm ANGLE GRINDER


SC-AG-4-354 8PCS	
Rated Voltage /frequency	: 220V~50Hz
Input Power	: 1000W
No Load Speed	: 11000r/min
Disc Diameter	: 100mm

POWER
1900W 125mm ANGLE GRINDER


SC-AG-5-357 6PCS	
Rated Voltage /frequency	: 220V~50Hz
Input Power	: 1900W
No Load Speed	: 11000r/min
Disc Diameter	: 125mm

POWER
2000W 150mm ANGLE GRINDER


SC-AG-6-358 4PCS	
Rated Voltage /frequency	: 220V~50Hz
Input Power	: 2000W
No Load Speed	: 11000r/min
Disc Diameter	: 150mm

POWER
1300W 125mm ANGLE GRINDER


SC-AG-5-356 8PCS	
Rated Voltage /frequency	: 220V~50Hz
Input Power	: 1300W
No Load Power	: 11000r/min
Disc Diameter	: 125mm

POWER
1900W 125mm ANGLE GRINDER


SC-AG-5-319 10PCS	
Rated Voltage /frequency	: 220V~50Hz
Input Power	: 1900W
No Load Speed	: 11000r/min
Disc Diameter	: 125mm

POWER
3300W 180mm ANGLE GRINDER


SC-AG-7-359 2PCS	
Rated Voltage /frequency	: 220V~240V~50Hz
Input Power	: 3300W
No Load Speed	: 11000r/min
Disc Diameter	: 180mm

MARBLE CUTTER

POWER
2300W

High Power Motor
High efficiency, better grinding effect


Non-Slip Handle
with particle handle for safer operation

Depth Adjustable
The corresponding thickness can be adjustable according to the thickness off the processed object

High Carbon Brush
The external carbon brushes are easy to maintain and the high-quality carbon brushes can be used for a long time

Widen The Base
Alloy material flat bottom surface small cutting error

Sturdy Head Shell
Sturdy and waterproof, better protect the machine from damage



SC-MC-5-367 4PCS			
Rated Voltage /frequency	: 220V~50Hz	No Load Speed	: 13000r/min
Input Power	: 2300W	Disc Diameter	: 125mm

POWER
1600W 100-125mm MARBLE CUTTER


SC-MC-4-304 4PCS	
Rated Voltage /frequency	: 220V~50Hz
Input Power	: 1600W
No Load Speed	: 13000r/min
Disc Diameter	: 100-125mm

POWER
1500W 110mm MARBLE CUTTER


SC-MC-4-364 6PCS	
Rated Voltage /frequency	: 220V~50Hz
Input Power	: 1500W
No Load Speed	: 13000r/min
Disc Diameter	: 110mm

POWER 1500W 110mm MARBLE CUTTER

SC-MC-4-365

4PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 1500W
No Load Speed	: 13000r/min
Disc Diameter	: 110mm


POWER 1850W 110mm MARBLE CUTTER

SC-MC-4-366

6PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 1850W
No Load Speed	: 11000r/min
Disc Diameter	: 110mm


POWER 2000W 185mm CIRCULAR SAW

SC-CS-7-368

4PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 2000W
No Load Speed	: 5000r/min
Disc Diameter	: 185mm


POWER 2300W 125mm WOOD CUTTER

SC-WC-5-369

4PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 2300W
No Load Speed	: 5000r/min
Disc Diameter	: 125mm


POWER 900W 82mm ELECTRIC PLANNER

SC-EP-82-301

4PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 900W
No Load Speed	: 16500r/min
Planing Width/Depth/Raveting Depth	: 82mm/0-2mm/0-8mm


POWER 1000W 82mm ELECTRIC PLANNER

SC-EP-82-303

4PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 1000W
No Load Speed	: 16500r/min
Planing Width/Depth/Raveting Depth	: 82mm/0-2mm/0-8mm


POWER 500W 10mm ELECTRIC DRILL

SC-DL-10-360

10PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 500W
No Load Speed	: 0-3200r/min
Disc Diameter	: 10mm


POWER 500W 6.5mm ELECTRIC DRILL

SC-DL-6.5-361

10PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 500W
No Load Speed	: 0-3200r/min
Disc Diameter	: 6.5mm


POWER 950W 13mm IMPACT DRILL

SC-DL-13-362

6PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 950W
No Load Speed	: 0-3200r/min
Disc Diameter	: 13mm


POWER 1200W 13mm IMPACT DRILL

SC-DL-13M-363

4PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 1200W
No Load Speed	: 0-3200r/min
Disc Diameter	: 13mm



EXCELLENT
Performance

POWER 65CC GASOLINE CHAINSAW



SC-CS-18-340/SC-CS-22-340 2PCS

Displacement	: 65CC
Input Power	: 2300W
No Load Speed	: 13000r/min
Guide Bar Size	: 18/22 Inch

POWER 68CC GASOLINE CHAINSAW



SC-CS-18-342/SC-CS-22-342 2PCS

Displacement	: 68CC
No Load Speed	: 13000r/min
Guide Bar Size	: 18/22 Inch

POWER 62CC GASOLINE CHAINSAW



SC-CS-18-341/SC-CS-22-341 2PCS

Displacement	: 62CC
No Load Speed	: 13000r/min
Guide Bar Size	: 18/22 Inch

POWER 75CC GASOLINE CHAINSAW



SC-CS-18-343/SC-CS-22-343 2PCS

Displacement	: 75CC
No Load Speed	: 13000r/min
Guide Bar Size	: 18/22 Inch

POWER 68CC GASOLINE CHAINSAW



SC-CS-18-345/SC-CS-22-345 2PCS

Displacement	: 68CC
No Load Speed	: 13000r/min
Guide Bar Size	: 18/22 Inch

POWER 3500W 558mm ELECTRIC CHAINSAW



SC-EC-22-321 2PCS

Rated Voltage /frequency	: 220-240V~50-60Hz
Input Power	: 3500W
Chain Speed	: 720r/min
Chain Bar Length	: 558mm

SIZE 18" GUIDE BAR



SC-GB-18 20PCS

- The 18" industry standard for professional chainsaw users. Solid body and low vibration, ideal for cutting woods or falling trees.
- Suitable for wood cutting, Tree cutting.

POWER 2300W 405mm ELECTRIC CHAINSAW



SC-EC-16-348 4PCS

Rated Voltage /frequency	: 220V~50-60Hz
Input Power	: 2300W
Chain Speed	: 720r/min
Chain Bar Length	: 405mm

POWER 3500W 609mm ELECTRIC CHAINSAW



SC-EC-24-321 2PCS

Rated Voltage /frequency	: 220-240V~50-60Hz
Input Power	: 3500W
Chain Speed	: 720r/min
Chain Bar Length	: 609mm

SIZE 22" GUIDE BAR



SC-GB-22 20PCS

- The 22" industry standard for professional chainsaw users. Solid body and low vibration, ideal for cutting woods or falling trees.
- Suitable for wood cutting, Tree cutting.

High Quality Sharp Chain



- The blade is sharp and fast
- The connection is tight and does not break
- High temperature quenching, no chipping
- Smooth cutting without lag

POWER 18"/22" SAW CHAIN



SC-SC-18 / SC-SC-22 50PCS

- This saw chain used for forest harvesting, chopping fire wood & lopping, building material to cut wood, bamboo harvest, etc. lakdi use branch cutter working woodcutter Tilt stopper teeth, steel reduce recoil. Easy maintenance, handy work

POWER 18"/22" X97 SAW CHAIN



SC-SC-X97-18 / SC-SC-X97-22 40PCS

- This is (X97 Series) Saw Chain. The quenching process adopts full automatic temperature control treatment with high hardness & also the deep quenching treatment and alloy guide wheel, the chainsaw has long service life, no need for frequent replacement.

POWER 2800W 12mm ELECTRIC ROUTER



SC-ER-12-309 2PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 2800W
No Load Speed	: 11000r/min
Disc Diameter	: 12mm

POWER 900W 6.35/8mm ELECTRIC TRIMMER



SC-TM-68-307 6PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 900W
No Load Speed	: 20000r/min
Bit Diameter	: 6.35/8mm

POWER 2500W 200 Bar CAR WASHER



SC-CW-327 1PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 2500W
No Load Speed	: 12L/min
Pressure	: 200 Bar

POWER 950W 10mm SCREWDRIVER



SC-SD-10-315 10PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 950W
No Load Speed	: 11000r/min
Drill Diameter	: 10mm

POWER 1000W 6.35/8mm ELECTRIC TRIMMER



SC-TM-68-308 6PCS


Rated Voltage /frequency	: 220V~50Hz
Input Power	: 1000W
No Load Speed	: 20000r/min
Bit Diameter	: 6.35/8mm

POWER 5800W 133mm WALL CHASER



SC-WC-5-133 2PCS

Rated Voltage /frequency	: 220V~50Hz
Input Power	: 5800W
No Load Speed	: 13000r/min
Disc Diameter	: 133mm



SC-DH-22-370 DEMOLITION HAMMMER

2000W Heavy Input Power

POWER 2000W 46J DEMOLITION HAMMER



SC-DH-22-370		1PCS
Rated Voltage /frequency	: 220V~50Hz	
Input Power	: 2000W	
Impact Rating	: 1450r/min	
Impact Power	: 46J	

POWER 1500W 15J DEMOLITION HAMMER



SC-DH-7-371		2PCS
Rated Voltage /frequency	: 220V~50Hz	
Input Power	: 1500W	
Impact Rating	: 1450r/min	
Impact Power	: 15J	

POWER 2000W 20J DEMOLITION HAMMER



SC-DH-8-372		2PCS
Rated Voltage /frequency	: 220V~50Hz	
Input Power	: 2000W	
Impact Rating	: 2900r/min	
Impact Power	: 20J	

POWER 2200W DEMOLITION HAMMER



SC-DH-11-373		2PCS
Rated Voltage /frequency	: 220V~50Hz	
Input Power	: 2200W	
No Load Speed	: 2900r/min	

POWER 2000W 10J DEMOLITION HAMMER



SC-DH-MX-374		2PCS
Rated Voltage /frequency	: 220V~50Hz	
Input Power	: 2000W	
Impact Rating	: 2900r/min	
Impact Power	: 10J	

POWER 3300W 65J DEMOLITION HAMMER



SC-DH-23-375		1PCS
Rated Voltage /frequency	: 220V~50Hz	
Input Power	: 3300W	
Impact Rating	: 2000r/min	
Impact Power	: 65J	

POWER 750W 20mm ROTARY HAMMER


SC-RH-331		5PCS
Rated Voltage /frequency	: 220V~50Hz	
Input Power	: 750W	
No Load Speed	: 11000r/min	
Drill Diameter	: 20mm	

POWER 1100W 26mm ROTARY HAMMER


SC-RH-335		5PCS
Rated Voltage /frequency	: 220V~50Hz	
Input Power	: 1100W	
No Load Speed	: 11000r/min	
Disc Diameter	: 26mm	

POWER 2200W 28mm ROTARY HAMMER


SC-RH-28-337		3PCS
Rated Voltage /frequency	: 220V~50Hz	
Input Power	: 2200W	
No Load Speed	: 11000r/min	
Disc Diameter	: 28mm	

POWER 1700W 20mm ROTARY HAMMER


SC-RH-20-332		5PCS
Rated Voltage /frequency	: 220V~50Hz	
Input Power	: 1700W	
No Load Speed	: 11000r/min	
Drill Diameter	: 20mm	

POWER 2000W 26mm ROTARY HAMMER


SC-RH-26-336		5PCS
Rated Voltage /frequency	: 220V~50Hz	
Input Power	: 2000W	
No Load Speed	: 11000r/min	
Disc Diameter	: 26mm	

POWER 2200W 30mm ROTARY HAMMER


SC-RH-30-339		5PCS
Rated Voltage /frequency	: 220V~50Hz	
Input Power	: 2200W	
No Load Speed	: 0-1300r/min	
Disc Diameter	: 30mm	


POWER 2500W 50X3.5MTR VIBRATOR


SC-EV-230		5PCS
Rated Voltage /frequency	: 220V~50Hz	
Input Power	: 2500W	
No Load Speed	: 4500r/min	
Vibrator Diameter	: 50X3.5MTR	

SIZE 3.5MTR VIBRATOR ROD


SC-VR-50X3.5MTR		1PCS
<ul style="list-style-type: none"> 50X3.5 Meter Needle Vibrator Needle Shaft Only. Suitable for most concrete construction, and has a wide range of uses. An excellent choice for both home and industrial use 		

SIZE 3MTR VIBRATOR ROD


SC-VR-50X3MTR		1PCS
<ul style="list-style-type: none"> 50X3 Meter Needle Vibrator Needle Shaft Only. Strong vibration, low heat generation, low-noise, settle concrete quickly and remove air bubbles. An excellent choice for both home and industrial use 		

SIZE 4MTR VIBRATOR ROD


SC-VR-50X4MTR		1PCS
<ul style="list-style-type: none"> 50X4 Meter Needle Vibrator Needle Shaft Only. Concrete Vibration Machine Needle Remove Air Bubbles from Soil Mixer. An excellent choice for both home and industrial use 		

PERFECT WELDING FINISH

of a wide range of **WELDING MACHINE**

- This Machine is suitable for welding mild steel, stainless steel and other kinds of metal.
- Advances IGBT Inverter Technology.
- IGBT power unit with special control mode increases welding system efficiency.
- 250 Ampere Inverter Arc Welding Machine with IGBT Technology. Portable, Easy to use, Long life well designed.


POWER 10000W 1.6-3.2mm IGBT WELDING MACHINE

SC-WM-1P-200		4PCS
Rated Voltage /frequency	: 220/380V~50/60Hz	
Input Power	: 10000W	
Power Factor	: 0.76	
Duty Cycle at 40	: 30%	


POWER 13000W 1.6-4.0mm IGBT WELDING MACHINE


SC-WM-1P-250		3PCS
Rated Voltage /frequency	: 220/380V~50/60Hz	
Input Power	: 13000W	
Power Factor	: 0.76	
Duty Cycle at 40	: 30%	

POWER 16000W 1.6-4.0mm IGBT WELDING MACHINE


SC-WM-1P-300		3PCS
Rated Voltage /frequency	: 220/380V~50/60Hz	
Input Power	: 16000W	
Power Factor	: 0.76	
Duty Cycle at 40	: 30%	

POWER 13000W 1.6-4.0mm IGBT WELDING MACHINE


SC-WM-2P-250S		4PCS
Rated Voltage /frequency	: 220/380V~50/60Hz	
Input Power	: 13000W	
Power Factor	: 0.76	
Duty Cycle at 40	: 30%	

POWER 10000W 1.6-4.0mm IGBT WELDING MACHINE


SC-WM-2P-350S		3PCS
Rated Voltage /frequency	: 220/380V~50/60Hz	
Input Power	: 10000W	
Power Factor	: 0.76	
Duty Cycle at 40	: 30%	

POWER 13000W 1.6-5.0mm IGBT WELDING MACHINE


SC-WM-3P-400Q		1PCS
Rated Voltage /frequency	: 220/380V~50/60Hz	
Input Power	: 13000W	
Power Factor	: 0.76	
Duty Cycle at 40	: 30%	

POWER 13000W 1.6-5.0mm IGBT WELDING MACHINE


SC-WM-3P-500T		1PCS
Rated Voltage /frequency	: 220/380V~50/60Hz	
Input Power	: 13000W	
Power Factor	: 0.76	
Duty Cycle at 40	: 30%	



CUT-OFF-SAW

POWER
4000W

SC-CO-14-355

1PCS


Rated Voltage /frequency	: 220V~50Hz
Input Power	: 4000W
No Load Speed	: 4000r/min
Disc Diameter	: 355mm


POWER
35.8cc 28mm BRUSH CUTTER


SC-BC-370

4PCS

Engine Type	: 4-Stroke, Single Cylinder, Air Cooled	Rated Power	: 1.45KM	Fuel Tank Capacity	: 850ml	Mixture Fuel	: Pure Gasoline
Displacement	: 35.8cc	Idling Speed	: 7500r/min	Pipe Diameter	: 28mm		

POWER
35.8cc 28mm BRUSH CUTTER


SC-BC-745 (Backpack)

4PCS

Engine Type	: 4-Stroke, Single Cylinder, Air Cooled	Rated Power	: 1.45KM	Fuel Tank Capacity	: 850ml	Mixture Fuel	: Pure Gasoline
Displacement	: 35.8cc	Idling Speed	: 7500r/min	Pipe Diameter	: 28mm		

20V

BRUSHLESS IMPACT DRILL

SC-DL-20-391

WHOLE BODY MACHINE

SUITABLE FOR A VARIETY OF JOBS, MORE HANDY



BRUSHLESS IMPACT DRILL

POWER
20V


SC-DL-20-391

8PCS

Battery	: 20V/2.0Ah	No Load Speed	: 1350r/min
Max Torque	: 380Nm	Chuck Diameter	: 10mm

TCT WOOD



SC-TCT-7X60 50PCS



SC-TCT-8X40 25PCS



SC-TCT-8X60 25PCS



SC-TCT-10X100 ALU 200PCS



SC-TCT-10X120 ALU 200PCS



SC-TCT-12X100 ALU 200PCS



SC-TCT-4X12 200PCS



SC-TCT-4X30 200PCS



SC-TCT-4X40 200PCS



SC-TCT-5X12 200PCS



SC-TCT-5X30 200PCS



SC-TCT-5X40 200PCS



SC-TCT-6X40 50PCS



SC-TCT-6X60 50PCS



SC-TCT-7X40 50PCS



SC-TCT-12X120 ALU 200PCS



SC-TCT-14X120 ALU 200PCS

TCT ALUMINUM BLADE



POWER 800W 2.5m³/min ELECTRIC BLOWER



SC-BL-210		6PCS
Rated Voltage /frequency	: 220V~50Hz	
Input Power	: 800W	
No Load Speed	: 0-18000r/min	
Air Flow	: 2.5m ³ /min	

POWER 1300W 2.5m³/min ELECTRIC BLOWER



SC-BL-VC-311		5PCS
Rated Voltage /frequency	: 220V~50Hz	
Input Power	: 1300W	
No Load Speed	: 0-18000r/min	
Air Flow	: 2.5m ³ /min	

POWER 550W 125mm ORBITAL SANDER




SC-OB-5-306			4PCS
Rated Voltage /frequency	: 220V~50Hz	No Load Speed	: 11000r/min
Input Power	: 550W	Disc Diameter	: 125mm



SC-MB-115X15X20 200PCS



SC-MB-110X9X20 200PCS



SC-MB-105X1.4X8X20-U CUT-1058



SC-MB-105X1.3X10X20-S THIN-1059



SC-MB-114X1.8X12X20-SEG-1070



SC-MB-200X2.6X12X22.3-TURBO-1080

